

Hand Tools – Bolt Cutter & Pipe Wrench

8” Mini Bolt Cutters



No.		Description
SHT0134		Mini Bolt Cutter, Length 8 Inches, Medium/Hard Materials upto Brinnell 300/Rockwell 3/16 Inch Diameter, Hard Materials Up to Brinnell 455/Rockwell C48 1/8 Inch Diameter, With Steel Handle, For Small Bolt and Cable Cutting

Bolt Cutter



Blades drop-forged with high quality [carbon steel](#)

Body heat treatment

Cutting edges high frequency quenched

Blades gap adjustable by bolts on joint arm

Hardness of material to be cut: HRC30

No		SIZE	(Soft materials)	(Medium materials)	MEASUREMENT (cm)	Inner Box	CTNS	G. T. (kg)	N. T. (kg)
SHT0135-1		12"	5mm	4mm	33x24x34	1	20	19	17
SHT0136-1		14"	7mm	5mm	38.5x25x17.5	1	10	11	9
SHT0137-1		18"	8mm	6mm	49x27x19	1	10	20	18
SHT0138-1		24"	10mm	8mm	64x32.5x15.5	1	8	25	22
SHT0139-1		30"	13mm	10mm	79x27x19	1	5	26	22
SHT0140-1		36"	16mm	12mm	93.5x20x20	1	4	27	24
SHT0141-1		42"	19mm	14mm	109x25x22	1	4	43	39
SHT0142-1		48"	22mm	16mm	124.5x30.5x15.6	1	2	32	28
SHT0143-1		Bolt Cutter Set, 2 Pieces, 14, 18 Inches							

Hand Tools – Bolt Cutter & Pipe Wrench

Bolt Cutter



Blades drop-forged with **CR-V steel**

New lockplate prevents jaw bolts from turning or loosening, for longer cutting life

Joint arm drop-forged

New comfortable hand grips and paint without plumbum.

Meet U.S. Federal Safety Standard,

Hardness of material to be cut: HRC40

Industry class quality

Exceeds Federal Specification No. GGG-C-740d Type II Class 3 & 4

No	SIZE	(Soft materials)	(Medium materials)	MEASUREMENT (cm)	Inner Box	CTNS	G. T. (kg)	N. T. (kg)	
SHT0135	12"	5mm	4mm	33x24x34	1	20	19	17	
SHT0136	14"	7mm	5mm	38.5x25x17.5	1	10	11	9	
SHT0137	18"	8mm	6mm	49x27x19	1	10	20	18	
SHT0138	24"	10mm	8mm	64x32.5x15.5	1	8	25	22	
SHT0139	30"	13mm	10mm	79x27x19	1	5	26	22	
SHT0140	36"	16mm	12mm	93.5x20x20	1	4	27	24	
SHT0141	42"	19mm	14mm	109x25x22	1	4	43	39	
SHT0142	48"	22mm	16mm	124.5x30.5x15.6	1	2	32	28	
SHT0143	Bolt Cutter Set, 2 Pieces, 14, 18 Inches								

Hand Tools – Bolt Cutter & Pipe Wrench

Heavy Duty Pipe Wrench



Mobile jaw drop-forged with high quality carbon steel

Body heat treatment

Jaw teeth induction quenched

Handle made of malleable cast iron

No	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)	
SHT0144	8"	35mm	40.5x22.5x22.5	10	60	26	24	
SHT0145	10"	42mm	34x28x22	10	40	24	22	
SHT0146	12"	51mm	51.5x31.5x18.5	6	31	35	33	
SHT0147	14"	60mm	40.5x34.5x15.5	5	20	26	24	
SHT0148	18"	76mm	42.5x27.5x22	4	16	34	32	
SHT0149	24"	90mm	58.8x24x18	5	10	34	32	
SHT0150	36"	105mm	80x13x12	/	4	24	22	
SHT0151	48"	115mm	112.5x17.5x17	/	2	23	21	
SHT0152	Cast Iron Pipe Wrench Set, Pipe Capacity 1 1/2, 2 Inches, Overall Length 10, 14 Inches, 2 Pieces							
SHT0153	Cast Iron Pipe Wrench Set, Pipe Capacity 2, 2 1/2 Inches, Overall Length 12, 18 Inches, 2 Pieces							

Hand Tools – Bolt Cutter & Pipe Wrench

Heavy Duty Pipe Wrench



Mobile jaw drop-forged with **CR-V steel**

Body heat treatment

Jaw teeth induction quenched

Handle made of malleable cast iron entirely

No.	SIZE	(mm)	MEASUREM ENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
SHT0154	8"	35mm	40.5x22. 5x22.5	10	60	26	24
SHT0155	10"	42mm	34x28x22	10	40	24	22
SHT0156	12"	51mm	51.5x31. 5x18.5	6	31	35	33
SHT0157	14"	60mm	40.5x34. 5x15.5	5	20	26	24
SHT0158	18"	76mm	42.5x27. 5x22	4	16	34	32
SHT0159	24"	90mm	58.8x24x 18	5	10	34	32
SHT0160	36"	105mm	80x13x12	/	4	24	22
SHT0161	48"	115mm	112.5x17 .5x17	/	2	23	21

Hand Tools – Bolt Cutter & Pipe Wrench

Aluminum Pipe Wrench



Mobile jaw drop-forged

Body heat treatment

Jaw teeth induction quenched

No.		SIZE	(mm)	MEASUREM ENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
SHT0155A		10"	42mm	34x28x22	10	40	24	22
SHT0156A		12"	51mm	51.5x31.5x18.5	6	31	35	33
SHT0157A		14"	60mm	40.5x34.5x15.5	5	20	26	24
SHT0158A		18"	76mm	42.5x27.5x22	4	16	34	32
SHT0159A		24"	90mm	58.8x24x18	5	10	34	32
SHT0160A		36"	105mm	80x13x12	/	4	24	22
SHT0161A		48"	115mm	112.5x17.5x17	/	2	23	21

Hand Tools – Bolt Cutter & Pipe Wrench

SLANTING PIPE WRENCH



Mobile jaw drop-forged with high quality carbon steel and lengthened

135 degree between fixed jaw and handle

Handle made of malleable cast iron

Used for parallel pipes near corner or closely lined

Unique design and new type

No.	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
SHT0162	8"	35mm	35x21x19	10	50	21	19
SHT0163	10"	45mm	43x27.5x13	10	25	22	20
SHT0164	12"	55mm	49.5x30.5x11.5	6	20	28	26
SHT0165	14"	65mm	37x35.5x12.5	5	16	27	25
SHT0166	18"	80mm	42.5x27.5x22	4	16	37	35

Hand Tools – Bolt Cutter & Pipe Wrench

STILLSON PIPE WRENCH



Mobile jaw entirely drop-forged


Body heat treatment, jaw teeth induction quenched

Handle drop-forged for good grip and high intensity

No.	SIZE	(mm)	MEASUREME NT (cm)	CTNS	G. T. (kg)	N. T. (kg)
	8"	27mm	27. 5x20. 5 x17. 5	60	20	19
	10"	34mm	24x24x22	48	28	26
	12"	42mm	29x21. 5x1 5. 5	24	30	19
	14"	50mm	32. 5x19x2 6	30	33	32
	18"	60mm	41x17. 5x2 0	16	26	24
	24"	76mm	55x23. 5x1 3	10	30	29
	36"	85mm	83x13x14	4	23	22
	48"	110mm	114. 5x19. 5x17. 5	4	41	39

Hand Tools – Bolt Cutter & Pipe Wrench

STILLSON PIPE WRENCH CR-V



Mobile jaw drop-forged with CR-V steel

Handle drop-forged, jaw teeth induction quenched

Industry class quality

Exceeds Federal Specification No. GGG-W-00651d (GSA-FSS) Type I Class A

No.	SIZE	(mm)	MEASUREME NT (cm)	CTNS	G. T. (kg)	N. T. (kg)
	8"	27mm	27. 5x20. 5 x17. 5	60	20	19
	10"	34mm	24x24x22	48	28	26
	12"	42mm	29x21. 5x1 5. 5	24	30	19
	14"	50mm	32. 5x19x2 6	30	33	32
	18"	60mm	41x17. 5x2 0	16	26	24
	24"	76mm	55x23. 5x1 3	10	30	29
	36"	85mm	83x13x14	4	23	22
	48"	110mm	114. 5x19. 5x17. 5	4	41	39

Hand Tools – Bolt Cutter & Pipe Wrench

CHAIN PIPE WRENCH



- Full body dropforged
- Body heat treatment
- Jaw teeth induction quenched
- Unique jaw teeth design
- Easy to turn reversely

No.	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	9"	110mm	47x35.5x22	6	36	22	20
	12"	110mm	40x39x26	6	36	28	26
	15"	130mm	40x38x10	6	24	33	32
	24"	170mm	65x38x10	6	16	30	29

DOUBLE-CHAIN PIPE WRENCH



- Handle made of malleable iron
- Dual line pipe chain for better performance

No.	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	12"	110mm	47x35.5x22	6	36	22	20

Hand Tools – Bolt Cutter & Pipe Wrench

CHAIN PIPE WRENCH



Jaw drop-forged

Jaw teeth induction quenched for durable using

Dual side jaw for easy change

Used for pipe construction, oil-field production and drilling operation

Exceeds Standard GGG-W-00651d(GSA-FSS)TYPE III Class A and B

No.	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	4"	100mm	94. 5x22. 5x10	1	4	34	32
	6"	150mm	110x12. 5x10	1	2	22	20
	8"	200mm	12. 1x12. 5x11	1	2	24	22
	10"	250mm	13. 5x14x12	1	2	27	25
	12"	300mm	14. 1x14x12	1	2	30	28

Hand Tools – Bolt Cutter & Pipe Wrench

PIPE VISES



Body made of malleable cast iron

Teeth drop-forged and milled after heat treatment

Used for gripping pipes in room

No.	SIZE	(mm)	MEASUREMENT (cm)	CTNS	G. T. (kg)	N. T. (kg)
	0#	10-40mm	39.5x19x14	10	15	13
	1#	10-60mm	30.5x22.5x19.5	4	20	18
	2#	10-90mm	35x22.5x23	4	27	25
	3#	15-115mm	36x26x15	2	19	18
	4#	15-165mm	41x36x14	2	24	22

Hand Tools – Bolt Cutter & Pipe Wrench

HEAVY DUTY PIPE VISES



Body made of malleable cast iron

Teeth drop-forged and milled after heat treatment

Used for pipe construction outdoors

More reasonable design and good appearance

No.	SIZE	(mm)	MEASUREMENT (cm)	CTNS	G. T. (kg)	N. T. (kg)
	0#	10-40mm	39.5x19x14	10	15	13
	1#	10-60mm	30.5x22.5x19.5	4	20	18
	2#	10-90mm	35x22.5x23	4	27	25
	3#	15-115mm	36x26x15	2	19	18
	4#	15-165mm	41x36x14	2	24	22

Hand Tools – Bolt Cutter & Pipe Wrench

Hing Leverage Joint Cable Cutter



Blades drop-forged with alloy steel, body heat treatment, cutting edges induction quenched

Joint arms drop-forged

Used for cutting copper and aluminum cable. not for cutting ACSR, wire rope, steel or self supporting strand.

No.	GGs No	SIZE		MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
SHT0133	4YR13	24"	30mm	64x32.5x15.5	1	10	25	22

WIRE ROPE CUTTERS



Blades drop-forged with high quality alloy steel

Body heat treatment, Cutting edges induction quenched

Joint arms drop-forged, tubular handle for more strength and more light

Used for cutting wire rope, piano wire, steel wire, ACSR cable and aircraft cable.

Industry class quality

No.	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	8"	5mm	46.5x18x31.5	6	60	17	15

Hand Tools – Bolt Cutter & Pipe Wrench

WIRE ROPE CUTTERS



Blades drop-forged with high quality alloy steel

Body heat treatment , Cutting edges induction quenched

Joint arms drop-forged,tubular handle for more strength and more light

Used for cutting wire rope,piano wire, steel wire,ACSR cable and aircraft cable.

Industry class quality

No.	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	18"	12mm	49x27x19	1	10	20	18
	24"	16mm	64x32.5x15.5	1	8	25	22
	36"	12mm	93.5x20x20	1	4	27	24
	42"	14mm	109x25x22	1	4	43	39

HEAVY DUTY WIRE ROPE CUTTERS



Used with 2 grade lever principle and easy for cutting

Used for cutting steel wire, piano wire,wire rope ,ACSR cable and aircraft cable.

Industry class quality

No.	SIZE	(wire rope)	(steel wire)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	24"	10mm	8mm	64x32.5x15.5	1	8	25	22
	36"	16mm	12mm	93.5x20x20	1	4	27	24
	42"	19mm	14mm	109x25x22	1	4	43	39

Hand Tools – Bolt Cutter & Pipe Wrench

MULTI-FUNCTION SWAGING TOOLS



Blades drop-forged with high quality alloy steel

Body heat treatment

Cutting edges induction quenched

Good cutting by 2 grade lever principle

Used for cutting 6mm wire rope and press 1/16"-3/16" oval sleeve (Aluminum)

Industry class quality

No.	SIZE	(wire rope)	(swging)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	24"	6mm	3/16"	64x32.5x14	1	6	19	16

TUBULAR HANDLE STEEL STRAP CUTTERS



Blades drop-forged, Body heat treatment, Cutting edges induction quenched

Joint parts drop-forged

Tubular handle for minimum weight

Easy cutting by 2 grade lever principle

Used for cutting steel strap with thickness less than 1 mm and width less than 40 mm

No.	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	18"	1x40mm	49x27x22.5	1	12	24	22

Hand Tools – Bolt Cutter & Pipe Wrench

DUCK-MOUTH STEEL STRAP CUTTERS



Body and handle integrated, body heat treatment, Cutting edges induction quenched

Used for cutting steel strap with thickness less than 1 mm

and width less than 32 mm

Industry class quality

No.	SIZE	(mm)	MEASUREMENT (cm)	InnerBox	CTNS	G. T. (kg)	N. T. (kg)
	12"	1x32mm	33.5x24x34	1	20	19	17