

# Electric – Cordless Tools

## CORDLESS DRILL/DRIVER



DD-HT29



DD-HT30



DD-HT31



DD-HT32



DD-HT33



DD-HT39



DD-HT29H

DD-HT29; DD-HT30; DD-HT31; DD-HT32; DD-HT33; DD-HT39

10mm(3/8") Chuck: Keyless Chuck Chuck with Key

Switch: One Speed Variable Speed

With Brake Without Brake

6 Position Clutch Standard Design

Charge Time: 5-7 Hours 3-5 Hours 1 Hour

Battery Pack

#BP-HT29/BP-HT29IDCT For #DD-HT29/30

#BP-HT31/BP-HT31IDCT For #DD-HT31/32/33

#BP-HT39 For DD-HT39

Kit Option:

Color Box T13BMC T21BMC BT13BMC T13W BMC T2W BMC

Voltage 7.2v 9.6v 12v 13.2v 14.4v 15.6v 16.8v 18v

Standard Design

Max. No-load Speed: 520rpm 520rpm 520rpm 550rpm 550rpm 550rpm 600rpm 650rpm

Max. Torque Force: 6Nm 7Nm 9Nm 9.5Nm 10Nm 10.5Nm 11Nm 11.5Nm

High Speed Design 1

Max. No-load Speed: 650rpm 650rpm 650rpm 650rpm 700rpm 720rpm 750rpm 800rpm

# Electric – Cordless Tools

---

Max. Torque Force: 5.5Nm 6.5Nm 8Nm 8.5Nm 9Nm 9.5Nm 10Nm 10.5Nm

High Speed Design 2

Max. No-load Speed: 780rpm 780rpm 780rpm 820rpm 820rpm 850rpm 900rpm 950rpm

Max. Torque Force: 5Nm 6Nm 7Nm 8Nm 8.5Nm 9Nm 9.5Nm 10Nm

Big Torque Design with Big Motor

Max. No-load Speed: 820rpm 820rpm 820rpm 820rpm 820rpm 820rpm

Max. Torque Force: 10Nm 11.5Nm 13Nm 14Nm 16Nm 18Nm

With Impact Function

4 Position Clutch Design for Drill/Driver

1 Position for Impact Drill

Kit Option:

Color Box

TP 13 BMC

T 13 BMC

Voltage 7.2v 9.6v 12v 13.2v 14.4v 15.6v 16.8v 18v

Max. No-load Speed: 520rpm 520rpm 520rpm 550rpm 550rpm 550rpm 600rpm 650rpm

Max. Torque Force: 6Nm 7Nm 9Nm 9.5Nm 10Nm 10.5Nm 11Nm 11.5Nm

Impact Frequency: 14040min-1 14040min-1 14040min-1 14040min-1 14040min-1 14040min-1

14040min-1 14040min-1

# Electric – Cordless Tools

---

## CORDLESS SCREWDRIVER



SD-HT01    SD-HT05    SD-HT08    SD-HT10    SD-HT11

## CORDLESS SCREWDRIVER

SD-HT01, HT05, HT08, HT10, HT11

Kit Option:

Color Box, with 1 PC Double Ends Bits & Charging Adaptor

Blister Pack

SD16 BMC

SD34 BMC

SD38 BMC only for #SD-HT10

SD38L BMC only for #SD-HT10 with Torch

Voltage    2.4v    3.6v

ITEM SD-HT-01 SD-HT-05 SD-HT-08 SD-HT-10 SD-HT-11

No-load Speed    230rpm    230rpm    150rpm    150rpm    150rpm

Automatic Spindle Stop    3Nm    3Nm    3Nm

Torque Control

Max Torque Force 1Nm 1Nm 1.3Nm 1.3Nm 1.3Nm

Foldable to an Angle 0-1100 0-1100

# Electric – Cordless Tools

---

## CORDLESS JIG SAW



### CORDLESS JIG SAW

JS-HT18

Charge Time: 5-7Hours 3-5Hours 1 Hour

Battery Pack

BP-HT18

Kit Option:

Color Box

Voltage 12v 13.2v 14.4v

No-load Speed: 2200min-1

Capacity: 55mm in Wood, 6 mm in Steel

# Electric – Cordless Tools

---

## CORDLESS CIRCULAR SAW



### CL-HT39

CORDLESS CIRCULAR SAW, 138mm(5 3/8")

CS-HT29

Type: American European

Upper Guarder:

Charge Time: 5-7Hours 3-5 Hours 1 Hour

Battery Pack

BP-HT29/BP-HT29IDCT

Kit Option:

Color Box CS29BMC

Voltage: 14.4v 15.6v 16.8v 18v

No-load Speed: 2400min-1

Blade Diameter: 138mm(5 3/8")

Bevel Capacity: 500

Max Depth of Cutting at 900: 38mm

Max Depth of Cutting at 450: 28mm

CORDLESS CIRCULAR SAW, 165mm(6 1/2")

CS-HT39

Type: American European

Upper Guarder:

Charge Time: 5-7Hours 3-5 Hours 1 Hour

Battery Pack

BP-HT39 BP-HT29/29IDCT

Kit Option:

Color Box CS39BMC

Voltage: 14.4v 15.6v 16.8v 18v

No-load Speed: 2500min-1

Blade Diameter: 165mm(6 1/2")

Bevel Capacity: 450

Max Depth of Cutting at 900: 54mm

Max Depth of Cutting at 450: 52mm



### CL-HT18