



## ▶ **HB-ATV50Q-N**

Engine: 125cc, single cylinder, air-cooled, 4 stroke

Electric starter

Transmission: automatic with reverse

Brake model: Front disc brake and rear disc brake

front drum brakes and rear disc brake is also available

Tyre: 190/70-8 (F) 180/95-8 (R)

Fuel tank: 2L

Max speed: 60km/h

Conveyance: 108pcs/HQ



### ▲ **HB-ATV50P-8**

Engine: 125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic with reverse  
Brake model: Front disc brake and rear disc brake  
front drum brakes and rear disc brake is also available  
Tyre: 190/70-8 (F) 180/95-8 (R)  
Fuel tank: 2L  
Max speed: 60km/h  
Conveyance: 108pcs/HQ

### ▼ **HB-ATV50P**

Engine: 125cc, single cylinder, air-cooled,  
4 stroke Electric starter  
Transmission: automatic ( reverse is also  
available)  
Brake model: front drum brakes and  
rear disc brake  
Front disc brake and rear disc brake is  
also available  
Tyre: 160/80-7 (F) 160/80-7 (R)  
Fuel tank: 2L  
Max speed: 55km/h  
Conveyance: 108pcs/HQ



## ▼ **HB-ATV250A**

Engine type: 250CC, single cylinder,  
water-cooling, 4-stroke, manual clutch  
Start mode: electric  
Max. speed: 75km/h,  
Transmission mode: shaft (chain also available)  
Break type (F/R): hub/disc:  
(disc/disc also available)  
Battery: 12V/12A  
Tires:  
a) Front wheels: 23x7 – 10  
b) Rear wheels: 22x10 – 10  
Ignition mode: CDI  
Conveyance: Qty/40' HQ: 40units



## ▲ **HB-ATV150E**

Engine type: GY6, 150cc, single cylinder,  
air-cooled, 4 stroke, automatic with reverse  
Start model: electric starter  
Max speed: 65km/h  
Brake model: hub/disc:  
(disc/disc also available)  
Battery: 12V9A  
Front tyre: 23x7-10 rear tyre: 22x10-10  
Conveyance: 66pcs/HQ



## ◀ **HB-ATV50R**

Engine:125cc,single cylinder,air-cooled,stroke

Electric start

Transmission:automatic with reverse

Brake model:front drums and rear disc brake

Tyre:190/70-8(F) 180/95-8( R)

Fuel tank:2L

Max speed:60km/h

Conveyance:92pcs/ 40' HQ

## ▼ **HB-ATV1000A**

Motor power:1000W brushless motor  
Battery:lead acid battery,20A/12V\*4PCS  
Loading capacity:120KGS  
Max Speed:30km/h  
Charging time:8-10 hours  
Transmission system:chain  
Tire:19/7.0-8 (F) 18/9.5-8 (R)  
Braking system(F/R):hub/disc  
Vehicle size:1480 × 900 × 1040mm  
Container loading:92pcs/40'HQ



## ▲ **HB-ATV800A**

Motor power:750W brushless motor  
Battery:lead acid battery,20A/12V\*4PC  
Loading capacity:120KGS  
Max Speed:30km/h  
Charging time:8-10 hours  
Transmission system:chain  
Tire:16/8.0-7(F) 16/8.0-7(R)  
Braking system(F/R):hub/disc  
Vehicle size:1270 × 810 × 925mm  
Container loading:128pcs/40'HQ



## ▲ **HB-ATV150F**

Engine type: GY6 ,150cc, single cylinder,  
air-cooled, 4 stroke, automatic with reverse  
Start model: electric starter  
Max speed: 65km/h  
Brake model: hub/disc:  
(disc/disc also available)  
Battery: 12V9A  
Front tyre: 23x7-10 rear tyre: 22x10-10  
Conveyance: 66pcs/HQ

## ▼ **HB-ATV150C**

Engine type: GY6 ,150cc, single cylinder,  
air-cooled, 4 stroke, automatic with reverse  
Start model: electric starter  
Max speed: 65km/h  
Brake model: hub/disc:  
(disc/disc also available)  
Battery: 12V9A  
Front tyre: 23x7-10 rear tyre: 22x10-10  
Conveyance: 66pcs/HQ



► **HB-ATV150C-N**

Engine type: GY6 ,150cc, single cylinder,  
air-cooled, 4 stroke, automatic with reverse

Start model: electric starter

Max speed: 65km/h

Brake model: hub/disc:

(disc/disc also available)

Battery: 12V9A

Front tyre: 23x7-10 rear tyre: 22x10-10

Conveyance: 66pcs/HQ





### ▲ **HB-ATV200A**

Engine type: 200CC, single cylinder,  
air-cooling, 4-stroke, manual clutch  
Start mode: electric  
Max. speed: 75km/h  
Transmission mode: chain  
Break type (F/R): hub/disc(disc/disc also available)  
Battery: 12V, 9A  
Tires:  
Front wheels: : 19 x 7-8  
Rear wheels: 18 x 9.50-8  
Ignition mode: CDI  
Conveyance: Qty/40' HQ: 66 units



### ▲ **HB-ATV150B**

Engine type: 150CC, single cylinder, air-cooling,  
4-stroke, manual clutch  
Start mode: electric  
Max. speed: 65km/h,  
Transmission mode: chain  
Break type (F/R): hub/disc  
Battery: 12V, 9A  
Tires:  
a) Front wheels: : 19 x 7-8  
b) Rear wheels: 18 x 9.50-8  
Ignition mode: CDI  
Conveyance: Qty/40' HQ: 66 units





## ◀ **HB-ATV50B**

Engine: 110cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic ( reverse is also available)  
Brake model: front drum brakes and rear disc brake  
Tyre: 145/70-6 (F) 145/70-6 (R)  
Tyre: 160/80-7 (F) 160/80-7 (R)  
Fuel tank: 2L  
Max speed: 55km/h  
Conveyance: 144pcs/HQ

## ▶ **HB-ATV50K**

Engine:110CC,Single cylinder,air cooling,4 stroke  
Transmission: automatic (reverse is also available)  
Rear brake:disc  
Front brake:hub brake (available )  
Transmission system:Chain  
Tire:160/80-7(F) 160/80-7(R)  
Fuel tank capacity(gallon)(L):2L  
Maximum speed(km/h):55km/h  
Starter system:Electric starter  
Conveyance: Qty/40' HQ: 128 units



## ▼ **HB-ATV50I-8**

Engine: 125cc, single cylinder, air-cooled, 4 stroke

Electric starter

Transmission: automatic with reverse

Brake model: Front disc brake and rear disc brake  
front drum brakes and rear disc brake is also available

Tyre: 190/70-8 (F) 180/95-8 (R)

Fuel tank: 2L

Max speed: 60km/h

Conveyance: 108pcs/HQ



## ▲ **HB-ATV50I**

Engine: 125cc, single cylinder, air-cooled, 4 stroke

Electric starter

Transmission: automatic ( reverse is also available)

Brake model: front drum brakes and rear disc brake

Front disc brake and rear disc brake is also available

Tyre: 160/80-7 (F) 160/80-7 (R)

Fuel tank: 2L

Max speed: 55km/h

Conveyance: 120pcs/HQ

## ► **HB-ATV50L**

Engine:125cc,single cylinder,air-cooled,stroke

Electric start

Transmission:automatic with reverse

Brake model:front drums and rear disc brake

Tyre:190/70-8(F) 180/95-8( R)

Fuel tank:2L

Max speed:60km/h

Conveyance:108pcs/HQ



## ◀ **HB-ATV50T**

Engine: 125cc, single cylinder, air-cooled, 4 stroke

Electric starter

Transmission: automatic ( reverse is also available)

Brake model: front drum brakes and rear disc brake

Front disc brake and rear disc brake is also available

Tyre: 160/80-7 (F) 160/80-7 (R)

Fuel tank: 2L

Max speed: 55km/h

Conveyance: 108pcs/HQ





## ◀ **HB-ATV50N-8**

Engine: 125cc, single cylinder, air-cooled,  
4 stroke Electric starter

Transmission: automatic with reverse

Brake model: Front disc brake and rear  
disc brake

front drum brakes and rear disc brake is  
also available

Tyre: 190/70-8 (F) 180/95-8 (R)

Fuel tank: 2L

Max speed: 60km/h

Conveyance: 112pcs/HQ

## ▶ **HB-ATV50N**

Engine: 125cc, single cylinder, air-cooled, 4 stroke  
Electric starter

Transmission: automatic ( reverse is also available)

Brake model: front drum brakes and  
rear disc brake Front disc brake and rear  
disc brake is also available

Tyre: 160/80-7 (F) 160/80-7 (R)

Fuel tank: 2L

Max speed: 55km/h

Conveyance: 128pcs/HQ



## ▼ **HB-ATV50Q**

Engine: 125cc, single cylinder, air-cooled, 4 stroke  
Electric starter

Transmission: automatic ( reverse is also available)

Brake model: front drum brakes and rear disc brake

Front disc brake and rear disc brake is also available

Tyre: 160/80-7 (F) 160/80-7 (R)

Fuel tank: 2L

Max speed: 55km/h

Conveyance: 108pcs/HQ



## ▲ **HB-ATV50Q-8**

Engine: 125cc, single cylinder, air-cooled, 4 stroke

Electric starter

Transmission: automatic with reverse

Brake model: Front disc brake and rear disc brake

front drum brakes and rear disc brake is also available

Tyre: 190/70-8 (F) 180/95-8 (R)

Fuel tank: 2L

Max speed: 60km/h

Conveyance: 108pcs/HQ